

# ASUMBI GIRLS HIGH SCHOOL POST -MOCK 1 AUGUST/SEPTEMBER 2022

## CHEMISTRY PP3 MS

Table 1

	1	2	3
Final burette reading(cm <sup>3</sup> )	24.5	24.5	24.5
Initial burette reading (cm <sup>3</sup> )	0.0	0.0	0.0
Volume of acid used (cm <sup>3</sup> )	24.5	24.5	24.5

### Marking

- Complete table award; ✓
- Decimal consistency; ✓
- Accuracy  $\pm 0.1$ ; ✓
- School value; ✓

Principles of averaging:

$$\text{Average volume} = \frac{24.5 + 24.5 + 24.5}{3} = 24.5; \checkmark \left(\frac{1}{2} \text{ mark}\right)$$

$$= 24.5 \text{ cm}^3; \checkmark \left(\frac{1}{2} \text{ mark}\right)$$

(a) Moles of sodium hydroxide used

Molarity of solution:


$$\text{Moles} = \frac{\text{Mass /litre}}{\text{RMM}}$$

$$= \frac{4}{40} = 0.1 \text{ molar}$$

If 1000 cm<sup>3</sup> → 0.1 mole

$$\text{Then } 25 \text{ cm}^3 \rightarrow \frac{25 \times 0.1}{1000} = 0.0025 \text{ moles;}$$

(ii) Moles of hydrochloric acid



Mole ratio = 1:1;

Thus moles of acid = 0.0025 moles;

(iii) Molarity of acid.

Volume of acid reacting = average titre in (a) e.g. 24.5 cm<sup>3</sup>

If 24.5 cm<sup>3</sup> → 0.0025 moles

$$\text{Then } 1000 \text{ cm}^3 \rightarrow \frac{1000 \times 0.0025}{24.5} = 0.1020 \text{ molar;}$$

### Table II

Marking:

- Complete table ✓ - 1mark
- Decimal consistency ✓ - 1 mark
- Accuracy ✓ - 1mark
- School value ✓ - 1mark
- Expected titre = 28.3 cm<sup>3</sup>

(c) Average volume

$$\frac{28.3 + 28.3 + 28.3}{3} = 28.3 \text{ cm}^3$$

All 3 values within 0.1 of each other and used – 1mark

Only 2 within 0.1 of each other and used – ½ mark  
Inconsistent value used – 0 mark

(d) Answer in (b) (iii) x average volume  
1000

Example:

Molarity of the acid calculated in (b) (iii) = 0.102 molar.

Thus 1000 cm<sup>3</sup> → 0.102 moles

$$28.3 \text{ cm}^3 \rightarrow \frac{28.3 \times 0.102}{1000} = 0.0028866 \text{ moles;}$$

(e) (i) Moles of carbonate that reacted:

Using mole ratio, 2 moles of acid reacts with 1 mole of carbonate

$$\text{Thus moles of carbonate reacting} = \frac{\text{answer in (d)} \times 1}{2}$$

Example:

2 moles of acid → 1 mole of carbonate

$$\text{Thus } 0.0028866 \text{ moles of acid} \rightarrow \frac{0.0028866 \times 1}{2} = 0.0014433 \text{ moles;}$$

(ii) Molarity of carbonate

25 cm<sup>3</sup> of carbonate → 0.0014433

$$\text{Then } 1000 \text{ cm}^3 \rightarrow \frac{1000 \times 0.0014433}{25} = 0.057732 \text{ molar}$$

(f) Mass of the salt mixture in gdm-3

250 cm<sup>3</sup> → 2.5g

$$1000 \text{ cm}^3 \rightarrow \frac{1000 \times 2.5}{250} = 10\text{g;}$$

(g) Percentage of XCl in the mixture

Mass of X<sub>2</sub>CO<sub>3</sub> in 1 litre

Molarity = 0.057732 molar / answer in (e) (ii).

Mass = 0.057732 x 106 = 6.119592g;

Mass of XCl = 10 – 6.119592

$$= 3.880408;$$

$$\text{Percentage} = \frac{3.880408}{10} \times 100$$

$$= 38.80408\%$$

Note: Use school based values.


### Question 2

SOLUTION	S3 (cm <sup>3</sup> )	Water (cm <sup>3</sup> )	Time (s)
A	50	0	20
B	40	10	25
C	30	20	35
D	20	30	53
E	10	40	103

### Marking:

- Complete table ✓
- Decimal consistency ✓
- Trend (increasing time) ✓
- School value ✓

Graph Trend:



**Marking:**

Scale – ½ mark

Axes – ½ mark

Plotting – 1 mark

Curve – 1 mark

(b) As the concentration decreases, the time increases ✓

(c) To keep the column of solution constant through the experiment ✓

**Question 3 (a)**

	Observations	Inferences
(a)	Colourless gas with a pungent smell; Gas changes moist red litmus paper blue, moist blue litmus paper remains blue	$\text{NH}_4^+$ present;
(b)	Dissolves to form a colourless solution;	- Soluble salt present; Coloured ions absent // $\text{Fe}^{2+}$ , $\text{Fe}^{3+}$ , $\text{Cu}^{2+}$ absent;
(c)	White precipitate formed	$\text{SO}_4^{2-}$ present;
(i)	White precipitate that persists on warming;	$\text{Cl}^-$ absent;
(ii)	- White precipitate that dissolves in excess; - Colourless gas with a pungent smell on warming; Colourless gas changes moist red litmus paper to blue, blue litmus paper remains blue;	$\text{Zn}^{2+}$  $\text{NH}_4^+$ present;
(e)	Dissolves to form a colourless solution	Polar substance; $\text{R} - \text{OH}$ present;
(i)	No effervescence	$\text{R} - \text{COOH}$ , $\text{H}^+$ , $\text{H}_3\text{O}^+$ absent;
(ii)	Colour of acidified potassium dichromate (VI) changes from orange to green;	$\text{R} - \text{OH}$ present;